



GoldAcres Trading Pty Ltd  
1 - 3 Northwestern Road  
ST ARNAUD VIC 3478  
PHONE: 03 5477 3999 FAX: 03 5477 3908  
Spare Parts Direct Phone: 03 5477 3991  
Spare Parts Direct Fax: 03 5477 3909  
email: [parts@goldacres.com.au](mailto:parts@goldacres.com.au)  
<http://www.goldacres.com.au>

## GoldAcres Parts

For fast, efficient same day despatch of GoldAcres parts, please phone, fax or mail order to the above numbers. When placing your parts order, please provide the following information:


- Part Number
- Part Description
- Quantity Required
- Preferred Despatch Method.

We can despatch parts by post, road or airbag. To ensure same day service, please ensure parts are ordered as early in the day as possible.

If returning parts for repair to GoldAcres, please clean thoroughly all parts before sending them. GoldAcres cannot expose technicians to the various pesticides that are in use.

### CATALOGUE ERRORS AND CHANGES:

Product specifications presented in this catalogue are believed to be accurate at the time of publication. Goldacres Trading Pty Ltd does, however, reserve the right to over-ride information deemed to be in error.





# TABLE OF CONTENTS

## 12 VOLT

|                           |   |
|---------------------------|---|
| 12 VOLT RANGE .....       | 1 |
| SKID BASE RANGE .....     | 2 |
| XL RANGE .....            | 3 |
| SQUIRT RECHARGEABLE ..... | 4 |

## HOSE REELS

|  |    |
|--|----|
| AA30 GUNJET .....                                    | 6  |
| AA43 GUNJET .....                                    | 7  |
| TRIGGERJET SPRAY GUN .....                           | 8  |
| EXTENSIONS, ADJUSTABLE CONEJETS & SPRAY SHIELD ..... | 9  |
| HEAVY DUTY HOSE REELS .....                          | 10 |

## THREE POINT LINKAGE SPRAYERS

|                        |    |
|------------------------|----|
| 300 LT 3PL .....       | 11 |
| 400 LT 3PL .....       | 12 |
| 600 & 800 LT 3PL ..... | 13 |

## COMPACT SPRAYERS

14

## DELTA BOOM

|  |    |
|--|----|
| DELTA BOOM COMPONENTS .....                        | 15 |
| RUBBER STOPPER & HOLDER & BOOM WEIGHT .....        | 20 |
| RUBBER BOOM REST & RUBBER BUFFERS .....            | 21 |
| SHOCK ABSORBERS .....                              | 22 |
| NOZZLE BRACKETS .....                              | 23 |
| BEARINGS & ROLLERS .....                           | 24 |
| ATTACHMENT PINS .....                              | 25 |
| HYDRAULIC CYLINDER FITTINGS & HYDRAULIC HOSE ..... | 26 |
| HYDRAULIC PHASING CYLINDERS .....                  | 27 |
| NOZZLE BODIES .....                                | 29 |

## PLUMBING SYSTEMS

41

## FILTERS


|                        |    |
|------------------------|----|
| SUCTION FILTERS .....  | 44 |
| PRESSURE FILTERS ..... | 46 |
| NOZZLE FILTERS .....   | 52 |

## BALL VALVES

|                                       |    |
|---------------------------------------|----|
| POLY BALL VALVES .....                | 53 |
| BRASS BALL VALVES & INLINE TAPS ..... | 56 |

## INDUCTION SYSTEMS

|                                 |    |
|---------------------------------|----|
| CHEMICAL INDUCTION HOPPER ..... | 57 |
| CHEMICAL VENTURI PROBE .....    | 60 |
| TRANSCAL .....                  | 62 |
| CHEMICAL TRANSFER STATION ..... | 65 |



## TABLE OF CONTENTS

### FOAM MARKERS

|                                      |    |
|--------------------------------------|----|
| FOAM MARKERS .....                   | 66 |
| FOAM CONCENTRATE.....                | 66 |
| COMPRESSOR .....                     | 67 |
| EXACTA FOAM MARKER COMPONENTS .....  | 70 |
| EXACTA DIRECT INJECTION .....        | 73 |
| STANDARD FOAM MARKER COMPONENTS..... | 74 |

### CONTROLS

|                                       |     |
|---------------------------------------|-----|
| TAS MONITOR .....                     | 75  |
| ELECTRIC CONTROL SYSTEMS.....         | 76  |
| REGULATING/RELIEF VALVES .....        | 79  |
| SOLENOIDS .....                       | 81  |
| MOTORISED BALL VALVES.....            | 82  |
| BRASS MANIFOLDS & EXHAUST CLAMPS..... | 83  |
| GAUGES .....                          | 84  |
| UDOR CONTROL SYSTEMS.....             | 86  |
| HIGH PRESSURE CONTROL SYSTEMS.....    | 89  |
| MASTER OF THE GAME CONTROLS .....     | 90  |
| E CONSTANT .....                      | 91  |
| RAVEN CONTROLLERS .....               | 92  |
| RAVEN FLOWMETERS.....                 | 101 |
| RAVEN SPEED SENSORS .....             | 106 |
| RAVEN LIGHTBAR .....                  | 108 |
| RAVEN SIDEKICK .....                  | 109 |
| RAVEN CONTROL VALVES .....            | 110 |
| RAVEN BOOM VALVES.....                | 111 |

### AIR BAG SUSPENSION

|                                     |     |
|-------------------------------------|-----|
| AIR BAG SUSPENSION COMPONENTS ..... | 112 |
|-------------------------------------|-----|

### PUMPS

|                                   |     |
|-----------------------------------|-----|
| UDOR PUMPS .....                  | 115 |
| UDOR PUMP DRIVE ACCESSORIES ..... | 129 |
| UDOR REPAIR KITS .....            | 131 |
| UDOR PART NUMBERS .....           | 132 |
| BERTOLINI PUMPS.....              | 136 |
| AR PUMPS.....                     | 153 |
| 12 VOLT PUMPS .....               | 155 |
| ROLLER PUMPS .....                | 160 |
| HYDRAULIC CENTRIFUGAL PUMPS ..... | 164 |
| FILL PUMP.....                    | 167 |
| HYDRAULIC DRIVE.....              | 168 |



# TABLE OF CONTENTS

**PRAIRIE ADVANCE SPRAYER** ..... 171

    PLUMBING SYSTEM ..... 172

    INDUCTION HOPPER ..... 174

    BELLY TANK ..... 175

    COMPRESSOR ASSEMBLY ..... 176

    PARALIFT COMPONENTS ..... 177

    PRESSURE MANIFOLD & TRANSCAL ..... 178

    PRESSURE SCHEMATIC ..... 179

    RINSE WATER SCHEMATIC ..... 180

    TRANSCAL SCHEMATIC ..... 181

**BRASS FITTINGS** ..... 182

**ENGINES** ..... 183

**FENCELINE KITS** ..... 184

**OVERSIZE SIGNS** ..... 185

**ORCHARD SPRAYER PARTS** ..... 186

**ROPEWICK PARTS** ..... 187

**GROUND GLIDER PARTS** ..... 188

**DIRECTOR SPRAYER PARTS** ..... 189

**PTO SHAFTS** ..... 195

**TANKS**

    TANKS ..... 196

    LIDS & ACCESSORIES ..... 198

    TANK FLUSHING KIT ..... 199

**TIPS**

    TEEJET TIPS ..... 200

    TEEJET BOOMJET ..... 212

**AXLES**

    FAD AXLES ..... 213

    TRAILER AXLES ..... 214

    BPW AXLES ..... 215

**NYLON FITTINGS**

    CAM LEVER COUPLINGS ..... 216

    NYLON FITTINGS ..... 217

    BANJO MANIFOLD FITTINGS ..... 220



## TABLE OF CONTENTS

### MISCELLANEOUS

|  |            |
|--|------------|
| UTILITY BOX.....                             | 221        |
| GOLDACRES SERVICE KITS .....                 | 221        |
| GOLDACRES SPRAYER MAINTENANCE KIT .....      | 222        |
| PRAIRIE TONGUE & OPERATORS MANUAL CASE ..... | 223        |
| ELECTRICAL FITTINGS .....                    | 224        |
| EYE BOLTS & SAFETY CHAIN .....               | 225        |
| HOSE .....                                   | 226        |
| HOSE CLAMPS .....                            | 227        |
| JACKS .....                                  | 228        |
| PAINT .....                                  | 228        |
| SPRINGS .....                                | 229        |
| MUDGUARDS & MUDFLAPS .....                   | 230        |
| SPRAYING ACCESSORIES .....                   | 231        |
| STICKERS .....                               | 232        |
| TROUBLESHOOTING.....                         | 234        |
| BERTANI PRESSURE SPRAYERS.....               | 247        |
| TECNOMA SPRAYERS .....                       | 248        |
| CHEMICAL MIXING TANK.....                    | 249        |
| <b>INDEX .....</b>                           | <b>250</b> |




## 12 Volt Sprayers





### SB Skid Base 12 Volt Sprayers


Note: All Traymates (excluding Squirt & Chubby) have Flojet 7.6 Pump 70 psi pumps standard **2135571A**





### XL 12 Volt Sprayer Parts

Note: All XL Traymates (traymates with frames) have the same components except the tank and frames



100 Ltr Tank  
**TNK100**

100 Ltr Frame  
**100TM-003MACH**




On/Off Switch  
**ST25B**

Fuse and Holder  
**YC513-B**

1/2" Plastic Tap  
**VQA12**



# SQUIRT 30 LITRE RE-CHARGEABLE SPRAYER





## SQUIRT 30 LITRE RE-CHARGEABLE SPRAYER


| Item No. | Part Number   | Description                     | Quantity |
|----------|---------------|---------------------------------|----------|
| 1        | TNK30SQ       | 30L Squirt tank                 | 1        |
| 2        | HOS10WSIGHT   | Sight tube                      | 1        |
| 3        | 25LSQ-003MACH | 30L Squirt axle                 | 1        |
| 4        | 1400-15       | 15mm External circlip           | 2        |
| 5        | 25LSQ-002LAS  | 30L Squirt axle plate           | 1        |
| 6        | WASH6         | Washer                          | 6        |
| 7        | M6X15BHCS     | Button head stainless bolt      | 8        |
| 9        | NP1207.2      | 12v 7.2AH battery               | 1        |
| 10       | 25LSQ-001LAS  | 30L Squirt battery/pump plate   | 1        |
| 11       | GA018         | Squirt warning label            | 1        |
| 12       | LF121-421D    | Flojet 12v pump                 | 1        |
| 13       | M5X20BH       | Button head stainless bolt      | 4        |
| 14       | WASH5         | Washer                          | 4        |
| 15       | NN5           | Nyloc Nut 5mm                   | 4        |
| 16       | 4166-6003     | Battery voltage indicator board | 1        |
| 17       | H1934         | LED mounting bezel              | 1        |
| 18       | HA0110        | Circuit board spacer            | 2        |
| 19       | M3X6SS        | Mounting screw                  | 4        |
| 20       | ST25B         | On/Off switch                   | 1        |
| 21       | PS114         | Female charging port            | 1        |
| 22       | YC513B        | Fuse holder                     | 1        |
| 24       | 3367          | CCL437-170 hose clamp           | 2        |
| 25       | M34           | 3/4" to 3/4" male nipple        | 1        |
| 26       | 90493-3/4     | Screen filter                   | 1        |
| 27       | 44008-3/4     | In-line filter fitting          | 1        |
| 28       | HOS10WSIGHT   | Sight tube wire re-in forced    | 1        |
| 29       | 10100029      | 1/2" hose clamp                 | 3        |
| 30       | HOS7P         | 7mm pressure hose               | 1        |
| 31       | 38700-PP-X18  | Trigger-jet spray gun           | 1        |
| 32       | 354230        | Tank Lid                        | 1        |
| 33       | AC900         | 12v Automatic battery charger   | 1        |
| 34       | P113          | Male charging port              | 1        |
| 35       | 3325BL0000    | Wheel                           | 2        |
| 36       | FOAM BLOCK    | Battery locator                 | 1        |
| 37       | MACH0030      | Plastic washer                  | 2        |
| 38       | JKZ-STDLAB    | Wheel cap                       | 2        |
|          | 60058BL       | Switch cover                    | 1        |
|          | GA027         | 30L squirt sticker kit          | 1        |



*GunJet®*


**AA30L LOW PRESSURE SPRAY GUN**

**AA301/4**



- ~ Flow rates up to 19 L/min.
- ~ Maximum operating pressure of 17 bar.
- ~ Outlet connection is 11/16" - 16 TeeJet thread.
- ~ Inlet connection is 1/4" (F) BSPT.
- ~ Body and trigger moulded of tough nylon.
- ~ Brass extension available (refer Extension Table ).
- ~ Accommodates all interchangeable TeeJet® spray tips though use with 5500 brass adjustable conejets is recommended (refer Adjustable Conejet table).

**AA30-1/4 AA30L Low Pressure Spray Gun**




| ITEM | PART NO.       | DESCRIPTION                                  |
|------|----------------|--|
| 1    | CP17103-IZP    | Zinc-Plated Steel Screw                      |
| 2    | CP19684-1-NYB  | Right and Left Hand Nylon Housing Set        |
| 3    | CP7890-INP     | Nickel-Plated Steel Cap                      |
| 4    | CP7490-BRTF    | Brass and Teflon Valve Seat Assy.            |
| 5    | CP22136        | Brass Inlet Body                             |
| 6    | CP22137-BR302S | Brass and Stainless Steel Stem Assy.         |
| 7    | CP14255-1-BU   | Buna Packing Cup                             |
| 8    | CP19812-AL     | Aluminium Gasket                             |
| 9    | CP19811        | Brass Packing Screw                          |
| 10   | CP7484-INP     | Nickel-Plated Steel Stem Nut                 |
| 11   | CP7489-SS      | Stainless Steel Trigger Stop Spring          |
| 12   | CP7622-IZP     | Zinc-Plated Steel Washer                     |
| 13   | CP17720-420SS  | Stainless Steel Roll Pin                     |
| 14   | CP19820-420SS  | Stainless Steel Roll Pin                     |
| 15   | CP17703-FRP    | Fibreglass Reinforced Polyester Trigger      |
| 16   | CP19810        | Brass Trigger Guide                          |
| 17   | CP19815        | Brass Spring Guide                           |
| 18   | CP22138-302SS  | Stainless Steel Spring                       |
| 19   | CP19816        | Brass Spring Retainer                        |
| 20   | CP19819-SS     | Stainless Steel Washer                       |
| 21   | CP19818-IZP    | Zinc-Plated Steel Screw                      |
| 22   | CP19806-FRP    | Fibreglass Reinforced Polyester Trigger Lock |
| 23   | CP19805-CE     | Celcon Lock Spring Ring                      |

**AB30L-KIT** AA30L GunJet Repair Kit includes items 4,6,7,8,& 18.



### GunJet® AA43 SPRAY GUNS

No. AA43L for operating pressures up to 13 bar. No. AA43H for operating pressures from 13 bar to 55 bar.  
 Trigger handle control...ALL MODELS have 1/2" NPT (F) inlet connections.  
 Quality designed and built for heavy duty service. Stem extends through extension to valve seat located directly behind orifice disc for drip-free shutoff and instant operating response. Convenient trigger-lock for continuous spraying.



MODELS

| Model No. | Operating Pressure (bar) Range | Made of | Lgth. mm |
|-----------|--------------------------------|---------|----------|
| 43L       | 0-14                           | Brass   | 559      |
| 43H       | 14-55                          | Brass   |          |
| 43L-AL    | 0-14                           | Alum.   |          |
| 43H-AL    | 14-55                          | Alum.   |          |



#### Hardened stainless steel type D orifice discs

Choice of five interchangeable orifice disc capacities. Other sizes on request. Discs are corrosion and erosion-resistant.

**Exposed packing nut**  
 For easy adjustment of packing.

**Choice of materials**  
 Brass or aluminium.


#### Type 43A GunJet Spray Guns



| Model No. | Operating Pressure (bar) Range | Made of | Lgth. mm |
|-----------|--------------------------------|---------|----------|
| 43LA      | 0-14                           | Brass   | 330      |
| 43HA      | 14-55                          | Brass   |          |
| 43LA-AL   | 0-14                           | Alum.   |          |
| 43HA-AL   | 14-55                          | Alum.   |          |

#### Hardened stainless steel type DX-HSS spray tips

For spraying trees and other applications where maximum spray throw is required.



| ITEM  | PART NO.      |               | DESCRIPTION  |
|---|---------------|---------------|--|
|   | BRASS         | ALUMINUM      |  |
| 1   | CP1325        | CP1325-AL     | Cap, Brass or Aluminum   |
| 2   | D-***         | D-***         | Orifice Disc, Hardened Stainless Steel   |
| 3   | CP4743-NY     | CP4743-NY     | Gasket, Nylon  |
| 4   | CP10566       | CP10566-AL    | Nozzle Housing, Brass or Aluminum  |
| 5   | 10565-1-NY    | 10565-1-NY-AL | Seal Plug, Seal Plate, Washer & Core Sub-Assembly Nylon Core & Vane With Brass Or Aluminum Seal Plug |
| 5A  | 10565         | 10565-AL      | Seal Plug, Seal Plate, Washer & Core Sub-Assembly Brass Or Aluminum, Special Order ONLY              |
| 6   | CP10571-2-NY  | CP10571-3-NY  | Guide Vane, Nylon  |
| 6A  | CP10571-AL    | CP10571-AL    | Guide Vane, Aluminum, Special Order ONLY   |
| 7   | CP43105-MYB   | CP43196-MYB   | Gasket, Nylon (2 Req'd)  |
| 8   | CP19238-416SS | CP19238-416SS | Stem, Type 416 Stainless Steel   |
| 9   | CP6804        | CP6804-AL     | Tubing, Brass or Aluminum  |
| 10  | CP6492        | CP6492-AL     | Inlet Body, Brass or Aluminum  |
| 11  | CP6801-302SS  | CP6801-302SS  | Packing Washer, Type 302 Stainless Steel   |
| 12  | CP6802-LEA    | CP6802-LEA    | Packing, Leather (3 Req'd), Standard   |
|   | CP6802-Tef    | CP6802-Tef    | Packing, Teflon (3 Req'd), Optional  |
| 13  | CP19237       | CP19237-AL    | Packing Screw, Brass or Aluminum   |
| 14  | CP6599        | CP6599-IZP    | Locknut, Brass or Steel, Zinc Plated   |
| 15  | CP6841-INP    | CP6841-INP    | Stem Nut, Steel, Nickel Plated   |
| 16  | CP6595-SS     | CP6595-SS     | Trigger Stop Spring, Stainless Steel   |
| 17  | CP7991-SS     | CP7991-SS     | Washer, Stainless Steel  |
| 18  | CP6597-INP    | CP6597-INP    | Trigger Guide, Steel, Nickel Plated  |
| 19  | CP6591-SS     | CP6591-SS     | Spring Stud, Stainless Steel   |
| 20  | CP6589-IZP    | CP6589-IZP    | Stop Adjustment Nut, Steel, Zinc Plated  |
| 21  | CP6594-SS     | CP6594-SS     | Spring for Stop Adjustment Nut, Stainless Steel  |
| 22  | CP6588-IZP    | CP6588-IZP    | Spring Screw, Steel, Zinc Plated   |
| 23  | CP6592-302SS  | CP6592-302SS  | Spring Guide Washer, Type 302 Stainless Steel  |
| 24  | CP6593-1-SS   | CP6593-1-SS   | Main Spring, Stainless Steel (for Model #43L-)   |
|   | CP6593-2-SS   | CP6593-2-SS   | Main Spring, Stainless Steel (for Model #43H-)   |
| 25  | CP14477-1-AL  | CP14477-1-AL  | Handle Body, Aluminum  |
| 26  | CP7623-IZP    | CP7623-IZP    | Rivet, Steel, Zinc Plated (2 Req'd)  |
| 27  | CP6509-INP    | CP6509-INP    | Trigger, Steel, Nickel Plated  |
| 28  | CP6510-INP    | CP6510-INP    | Trigger Stop, Steel, Nickel Plated   |
| 29  | CP11757-SS    | CP11757-SS    | Screw, Stainless Steel   |
| 30  | CP13798-INP   | CP13798-INP   | Trigger Guard, Steel, Nickel Plated  |
| GunJet® No. AA43L - Brass, Complete, For Pressures up to 200 PSI                        |               |               |  |
| GunJet® No. AA43L-AL - Aluminum, Complete, For Pressures up to 200 PSI                  |               |               |  |
| GunJet® No. AA43H - Brass, Complete, For Pressures from 200 to 800 PSI                  |               |               |  |
| GunJet® No. AA43H-AL - Aluminum, Complete, For Pressures from 200 to 800 PSI            |               |               |  |
| AB43-KIT Spare parts Kit (Includes all items marked with *)                             |               |               |  |
| AB43-AL-KIT Spare parts Kit (Includes all items marked with *)                          |               |               |  |
| ABCK43-KIT Conversion Kit for Adjustable Stem - Items 8, 13 & 15 (for Model #43L-)      |               |               |  |
| ABCK43-AL-KIT Conversion Kit for Adjustable Stem - Items 8, 13 & 15 (for Model #43-AL-) |               |               |  |

\*\* Specify Orifice Disc Size




# TriggerJet® Spray Gun



The Model 38700 TriggerJet® spray gun is a lightweight spray gun designed for use with backpack, canister, or other low pressure spray systems. The TriggerJet is made of molded polypropylene for excellent chemical resistant and durability.

**FEATURES:**

- The 38700 TriggerJet® spray gun kit includes a 15" (381 mm) extension.
- Replaceable internal working components (see diagram below).
- Trigger lock permits locking valve in open position for continuous flow.
- Maximum operating pressure of 100 psi (7 bar).
- Accepts all standard spray tips and tip strainers.
- Available in 1/4" (6 mm) hose shank connection.
- External hose clamps are eliminated by the 38700 TriggerJet® spray gun's internal hose clamp.



| ITEM | PART NO.           | DESCRIPTION  |
|------|--------------------|--|
| 1    | CP38721-PP-**      | TIP BODY, POLYPROPYLENE  |
| 2    | CP22668-PP         | CAP, POLYPROPYLENE   |
| 3    | CP7717-5-EPR       | O'RING, EPDM RUBBER  |
| 4    | CP38722-PP         | CORE, POLYPROPYLENE  |
|      | 38720-PP           | ADJUSTABLE CONEJET® SPRAY TIP SUB-ASB. (INCLUDES ITEMS 1 THRU 4) |
| 5    | 38711-PP           | BODY SUB-ASSEMBLY, POLYPROPYLENE                                 |
| 6    | CP38708-PP         | HOSE CLAMP, POLYPROPYLENE  |
| 7    | CP38707-PP         | HANDLE, POLYPROPYLENE  |
| 8    | CP7717-2-103/90-BU | O'RING, BUNA-N (90 DUROMETER)                                    |
| 9    | CP38709-NYB        | STEM, NYLON (BLACK)  |
| 10   | CP38705-PHSS       | SPRING, STAINLESS STEEL TYPE 17-7PH                              |
| 11   | CP38706-NY         | WASHER, NYLON (2 REQ'D)  |
| 12   | CP7717-2/108-BU    | O'RING, BUNA-N   |
| 13   | CP38702-PP         | SPRING RETAINER, POLYPROPYLENE                                   |
| 14   | CP38704-PP         | TRIGGER LOCK, POLYPROPYLENE                                      |
| 15   | CP38703-PP         | TRIGGER, POLYPROPYLENE   |
| 16   | CP22672-IZP        | GROOVE PIN, STEEL-ZINC PLATED                                    |

## HIGH PRESSURE SPRAY GUN



The lever and handle spray guns are manufactured as follows: stainless steel tube, brass inside rod, steel nozzle or ceramic.

Lever spray gun 300mm **001000**



EXTENSIONS FOR AA30L SPRAY GUN (Straight with Fixed Body)

| EXTENSION TYPE AND NO. | EXT. LENGTH (mm) | NET WEIGHT (kg) |
|------------------------|------------------|-----------------|
| 7715-8                 | 203              | 0.09            |
| 771518                 | 457              | 0.11            |
| 771524                 | 610              | 0.14            |
| 771530                 | 762              | 0.16            |
| 771536                 | 914              | 0.18            |
| 771548                 | 1219             | 0.21            |

ADJUSTABLE CONEJETS

The adjustable brass Conejet nozzle rotates through a half turn to provide spray selection from wide angle, finely atomised cone spray to a straight stream spray. Tip settings "A" and "B" represent two extreme points of rotation in tip adjustment.



| Adjustable ConeJet Tip No. | Performance       | Liquid Pressure (kPa) |      |      |      |     |      |     |      |
|----------------------------|-------------------|-----------------------|------|------|------|-----|------|-----|------|
|                            |                   | 150                   |      | 200  |      | 300 |      | 400 |      |
|                            |                   | A                     | B    | A    | B    | A   | B    | A   | B    |
| 5500 - X18                 | Capacity (l/min)  | 0.79                  | 2.6  | 0.98 | 3.2  | 1.1 | 3.7  | 1.4 | 4.5  |
|                            | Spray Angle (deg) | 71                    | -    | 75   | -    | 77  | -    | 78  | -    |
|                            | Max. Throw (m)    | 1.2                   | 11.5 | 1.2  | 12.5 | 1.2 | 12.8 | 1.2 | 12.8 |
| 5500 - X22                 | Capacity (l/min)  | 0.95                  | 3    | 1.2  | 3.7  | 1.5 | 4.7  | 1.8 | 5.5  |
|                            | Spray Angle (deg) | 71                    | -    | 75   | -    | 78  | -    | 79  | -    |
|                            | Max. Throw (m)    | 1.2                   | 11.9 | 1.4  | 12.5 | 1.5 | 12.8 | 1.5 | 12.8 |
| 5500 - X26                 | Capacity (l/min)  | 1.1                   | 3.6  | 1.4  | 4.5  | 1.7 | 5.5  | 2.1 | 6.7  |
|                            | Spray Angle (deg) | 72                    | -    | 76   | -    | 78  | -    | 79  | -    |
|                            | Max. Throw (m)    | 1.4                   | 12.2 | 1.5  | 12.8 | 1.5 | 13.1 | 1.7 | 13.1 |

SPRAY SHIELD FOR GUNJET



Spray shield for gunjet

001950C



## HEAVY DUTY HOSE REELS

This is the hose and reel for the professional user. It is heavy duty construction and coated for long life.

20M hose reel available with 12mm inside diameter chemical resistant hose.

50 and 100M hose reels available with nylon 11 tubing which is light and easy to manage in the long lengths. This 12mm outside diameter hose (approximately 10mm inside diameter) is resistant to all the chemicals commonly used in Australia and is kink resistant.

- 20M Hose reel **HR-20**
- 50M Hose reel **HR-50**
- 100M Hose reel **HR-100**
- Bare reel **HR-BARE**



20M Hose Reel and AA30L GunJet



50M Hose Reel and AA30L GunJet

**PLEASE NOTE:**

GUNJETS FOR HOSE REELS ARE NOT INCLUDED WITH THE ABOVE REELS. PLEASE ORDER THE GUN OF YOUR CHOICE FROM THOSE LISTED IN THIS CATALOGUE.

## HOSE REEL ACCESSORIES



Hose reel swivel mounting bracket  
**HR-SMB**

Previous model hose reel handle available.



Hose reel handle.  
**HP19/NL**