

SPRING *Spraying*



2023 COMPLETE SPRAYER RANGE

Squirt Trolley Sprayer



30L
\$415
GA4900009

Specifications

- ▶ 30L product tank
- ▶ 12-volt lead acid rechargeable battery
- ▶ 3.5 l/min 70 psi pump
- ▶ Adjustable spray lance
- ▶ 6 hour spray time*
- ▶ Handle height 850mm
- ▶ Net weight 14 kg

Squirt VX Trolley Sprayer



22L
\$525
GA6500032

Specifications

- ▶ 22L product tank
- ▶ 12-volt Li-ion removable rechargeable battery
- ▶ 2.2 l/min 55 psi pump
- ▶ Adjustable spray lance
- ▶ 3 hour spray time
- ▶ European quality
- ▶ Handle height 910mm
- ▶ Net weight 8.2 kg

Accessories page 4

Marolex RX



12L
\$715
GA5067980

Specifications

- ▶ 12L tank capacity
- ▶ 12-volt rechargeable battery
- ▶ No pumping
- ▶ 3 hour spray time
- ▶ Padded straps & backing
- ▶ Adjustable spray lance
- ▶ Net weight 6.8 kg

Accessories page 4

Marolex Industry

Pump up sprayers designed for demanding tasks in garages, car washes, service points and in various branches of industry.



Specifications

- ▶ 5, 9 or 12L tank capacities
- ▶ Viton seals
- ▶ Stainless steel adjustable lance
- ▶ Highly efficient pump
- ▶ Adjustable nozzle

Marolex Hobby

These pump up sprayers are perfect for applying plant protection chemicals and liquid fertilisers in orchards, nurseries, plantations and gardens.



Specifications

- ▶ 5 or 9L tank capacities
- ▶ Adjustable lance & nozzle
- ▶ Highly efficient pump
- ▶ 5L - Net weight 1.5 kg
- ▶ 9L - Net weight 1.8 kg

Marolex Movi

Pump up trolley sprayer is used for plant protection chemical and liquid fertilizer in orchards, nurseries, gardens & plantations.

Specifications

- ▶ 16L tank capacity
- ▶ Adjustable handle height
- ▶ Adjustable lance & nozzle
- ▶ Highly efficient pump
- ▶ Sturdy wheels
- ▶ Net weight 4.46 kg



Marolex Master



- ▶ 2L tank capacity
- ▶ Net weight 0.6 kg
- ▶ Viton seals
- ▶ Adjustable nozzle

Marolex Mini



- ▶ 1L tank capacity
- ▶ Adjustable nozzle
- ▶ Net weight 0.12 kg

3 & 5 nozzle boom



3 nozzle	5 nozzle
\$49	\$63
GA5021820	GA5021825

- ▶ Spray wider areas such as driveways, paths or lawn
- ▶ Suits all Marolex sprayers

Telescopic lance



85-135cm	150-300cm	85-135cm
\$52	\$53	\$65
GA5060955	GA5060960	GA5023885-SK

- ▶ 85-135cm telescopic lance or
- ▶ 150-300cm telescopic lance
- ▶ GA5023885-SK suits Squirt and 12v sprayers

Drift guard



- ▶ Compatible with Marolex Hobby, Squirt and Industry sprayers

Spotmate Trailer

100L
\$1595
GA6500014



Specifications

- ▶ 100L product tank
- ▶ 12-volt 107 psi pump
- ▶ Pneumatic tyres with sealed bearings
- ▶ 3 nozzle boom
- ▶ Marolex spray lance
- ▶ Solid steel axle with steel chassis
- ▶ Net weight 35 kg

Compact 300

No boom
\$4420
GA6500024



Specifications

- ▶ 300L product tank
- ▶ 12-volt 20 l/min 90psi pump
- ▶ Pressure regulating valve
- ▶ 30m reel and gun
- ▶ 540mm turf wheels
- ▶ Full RHS welded chassis
- ▶ 4 stud mini hubs
- ▶ Net weight 125 kg

Add a boom

Boom size	Part No	Price
3m manual	GA4900093	\$995
4m manual	GA4900096	\$1895
Vertical vine	GA1100059	\$1382
Boomless nozzle	GA4908340	\$200
Boomless nozzle mount	GA4908100	\$90

Compact 400



No Boom

\$8015

GA6500016

Specifications

- ▶ 400L product tank
- ▶ Honda GX120 petrol engine
- ▶ 20 l/min Udor diaphragm pump
- ▶ 30m hose reel and pistol grip gunjet
- ▶ 14" wheels with mudguards and flaps
- ▶ 50mm tow hitch
- ▶ Leaf suspension
- ▶ Net weight 235kg



Control pastures & clean up around your property with the Prairie Compact.

Choose a boom or boomless nozzle or use the high pressure 30m reel for spot spraying.

Add a boom

Boom size	Part No	More info	Price
4m manual boom	GA4900096	Page 19-20	\$1895
6m manual boom	GA4907140		\$2420
Vertical Vine boom	GA1100059		\$1382
Boomless nozzle	GA4908340	Page 17	\$200
Boomless nozzle mount	GA4908100	Page 16	\$90

Pump and engine combo (400 & 600L)



14" wheel with mudguards (400 & 600L)



Compact 600



Shown with optional 6m boom

Specifications

- ▶ 600L product tank
- ▶ Honda GX120 petrol engine
- ▶ 20 l/min Udor diaphragm pump
- ▶ 30m hose reel and pistol grip gunjet
- ▶ 14" wheels with mudguards and flaps
- ▶ 50mm tow hitch
- ▶ Leaf suspension
- ▶ Net weight 250kg

No boom

\$8225

GA6500017



Control pastures & clean up around your property with the Prairie Compact.

Choose a boom or boomless nozzle or use the high pressure 30m reel for spot spraying.

Add a boom

Boom size	Part No	More info	Price
4m manual boom	GA4900096	Page 19-20	\$1895
6m manual boom	GA4907140		\$2420
Vertical Vine boom	GA1100059		\$1382
Boomless nozzle	GA4908340	Page 17	\$200
Boomless nozzle mount	GA4908100	Page 16	\$90

Leaf suspension



Add an LED light kit (400 & 600L)



LED light kit
\$285
GA1100058

12-volts



12-volt connection in a convenient range of sizes and styles. Ideal for spot spraying or operating a small boom.

Manual hose reel to suit Traymates



30m Hose reel
\$265
GA5066080

Reel / bracket
\$390
GA1100060

- ▶ 30m hose reel with/without mounting bracket
- ▶ Steel construction
- ▶ 10mm diameter hose
- ▶ Spring loaded locking
- ▶ Swivel inlet fitting
- ▶ Spray gun not included
- ▶ Suits 200 & 400L models

Mount a Towbar boom



2m boom
\$765
GA4908615

2m fenceline
\$975
GA4908645

- ▶ 2m spray width
- ▶ Fenceline version includes fenceline nozzle
- ▶ Adjustable height and depth
- ▶ Folding wings
- ▶ 2m net weight 6 kg
- ▶ 2m fenceline net weight 7.3 kg

Spotmate



Spotmate sprayers are extremely versatile, with an on demand 12-volt pump, great for spraying around the home or garden.

- ▶ 50L - 12v Shurflo 3.8 l/min 40 psi pump
- ▶ 100-200L - 12v Shurflo 6.8 l/min 107 psi pump
- ▶ Telescopic spray lance
- ▶ 4m hose
- ▶ Electrical leads with battery clips

Dimensions & Weight (Net)

50L - 660 L x 400 W x 340mm H - 7.5 kg
 100L - 750 L x 500 W x 500mm H - 12.5 kg
 200L - 1000 L x 700 W x 560mm H - 20.5 kg

Traymate



The Traymate is a heavy duty 12-volt sprayer designed for either spot spraying or adapting to operate a small boom.

- ▶ 100-200L - 12v Shurflo 6.8 l/min 107 psi pump
- ▶ 12v Shurflo 20 l/min 90 psi pump - Boom ready
- ▶ Pistol grip spray gun
- ▶ 5m chemical hose
- ▶ Steel frame
- ▶ Battery leads with battery clips
- ▶ Boom ready versions suits up to 6m booms

Dimensions & Weight (Net)

100L - 970 L x 460 W x 550mm H - 26 kg
 200L - 950 L x 700 W x 750mm H - 36 kg
 400L - 1150 L x 900 W x 900mm H - 56 kg

Hysi - Hay & silage applicator



Hysi applicators are designed for treating grain in an auger or hay and silage.

- ▶ Pressure regulator valve
- ▶ 12-volt Shurflo 6.8 l/min 107 psi pump
- ▶ 2 nozzle boom
- ▶ Sump for drainage

Dimensions & Weight (Net)

100L - 970 L x 460 W x 550mm H - 26 kg
 100L upright - 550 L x 550 W x 1000mm H - 30 kg
 200L - 950 L x 700 W x 750mm H - 36 kg

T3 Traymount



300L
\$4695
GA6500008



Specifications

- ▶ Compact size
- ▶ 300L product tank
- ▶ Honda GX120 engine
- ▶ 20 l/min 290 psi pump
- ▶ 30m hose reel
- ▶ Adjustable pistol grip gun
- ▶ Net weight 102 kg

The T3 is great for high-pressure spot spraying duties or can be used with a small boom.

The compact dimensions make it suitable for many tray back applications. The unit features a 30m hose reel and spray gun with an adjustable nozzle and 2-way controller with a pressure regulating valve.

Dimensions



Add a boom

Boom size	Part No	More info	Price
2m boom	GA4908615	Page 18-19	\$765
2m fenceline boom	GA4908645		\$975
3m manual fold	GA4900093		\$995
4m manual fold	GA4900096		\$1895
Boom mount	GA4905835	Page 19	\$265

Honda engine



400 & 600L Traymounts



400L	600L
\$6640	\$7170
GA4914025	GA4914030



Specifications

- ▶ Honda GX200 engine
- ▶ 40 l/min diaphragm high pressure pump
- ▶ 30m hose reel
- ▶ Adjustable pistol grip gun
- ▶ 400L - Net weight 124 kg
- ▶ 600L - Net weight 157 kg

Do you need more pressure and spray volume?

The units include a 40 l/min high pressure diaphragm pump with a Honda engine, UV-resistant poly tank with drain sump, strong RHS frame, a 30m steel hose reel with pistol grip gun, and an adjustable nozzle.

Add a boom

Boom size	Part No	More info	Price
2m boom	GA4908615	Page 18-19	\$765
2m fenceline boom	GA4908645		\$975
3m manual fold	GA4900093		\$995
4m manual fold	GA4900096		\$1895
Boom mount	GA4905835	Page 19	\$265

30m hose reel



Honda engine & diaphragm pump



RTV300 Pro-Reel®



300L
\$11,175
GA4908090

Got steep or rugged terrain you need to spray? The Pro-Reel® auto rewind traymount sprayers allow you to spray wherever you may roam. Take the work out of hose reel spraying.

Specifications

- ▶ 12-volt remote rewind hose reel
- ▶ 300L product tank
- ▶ 100m reel
- ▶ Nylon grade 12 hose
- ▶ Honda GX200 engine
- ▶ Udor 40 l/min 40 bar twin diaphragm
- ▶ Turbo 400 gun
- ▶ 1149L x 1346W x 1010mm H
- ▶ Net weight 160 kg

Pro-Reel® Single Reel



400L
\$11,285
GA4914045

600L
\$11,495
GA4914050

400L unit with dimensions to fit most popular twin cab utes, for a big capacity choose the 600L with 100m hose with Pro-Reel® auto rewind.

Specifications

- ▶ 400 or 600L product tank
- ▶ Honda GX200 engine
- ▶ Manual 3 way controller
- ▶ 100m 12-volt Pro-Reel® remote rewind hose reel
- ▶ Udor 40 l/min 40 bar twin diaphragm pump
- ▶ Remote engine shut-off
- ▶ Turbo 400 spray gun
- ▶ Power cable kit included
- ▶ 400L - 1390 L x 1030 W x 885mm H - 178 kg (Net)
- ▶ 600L - 2087 L x 1400 W x 835mm H - 230 kg (Net)

Pro-Reel® Twin Reel



Specifications

- ▶ 600 or 800L product tank
- ▶ Honda GX200 engine
- ▶ Udor 40 l/min 40 bar (580 psi) twin diaphragm pump
- ▶ Manual 3 way controller
- ▶ 2 x 100m 12-volt Pro-Reel® remote rewind hose reel
- ▶ Remote engine shut-off
- ▶ Turbo 400 spray gun
- ▶ Power cable kit included
- ▶ 600L - 2100 L x 1618 W x 920mm H - 292 kg (Net)
- ▶ 800L - 2140 L x 1618 W x 980mm H - 342 kg (Net)

600L

\$16,030

GA4914075

800L

\$16,770

GA4914080

Spray your own way with twin 100m Pro-Reels, 2 channel remote control, large capacity tanks for greater range.

Pro-Reel® remote



A two-channel radio receiver with a 200m range controls the Pro-Reel® rewind function. It features a single button motor shutdown for emergencies, a manual override switch allows the hose to be rewound if the remote loses power, is damaged or lost. Remote control case & lanyard GA5078664

12-volt stand alone Pro-Reel®



Spray gun not included. Power cable kit included.

100m

\$4800

GA4904584

Net weight 56 kg

150m

\$4915

GA4906985

Net weight 58 kg

Braglia Turbo 400



\$222

GA5023475

- ▶ Side lever adjusts spray pattern
- ▶ 70 l/min - 725 psi
- ▶ ½" swivel with male BSP thread

CT Top Spray



\$228

GA5023825

- ▶ 30 l/min - max 365psi
- ▶ Great general purpose spray gun
- ▶ Adj nozzle from pencil to fan
- ▶ Complete with hose tail & swivel

TeeJet AA43



\$359

GA5077248

- ▶ 27 l/min up to 200psi
- ▶ Trigger handle control
- ▶ Tough construction
- ▶ ½" female inlet

Linkage



Fully welded RHS / tubular cradle frame with tough poly tank using only the finest components for maximum strength and durability.

Packed with quality components and features these sprayers are designed for operators who rely on their equipment to get the job done, year after year.

450 & 600L



- ▶ Zeta 70 l/min pto
- ▶ 3 way manual controller
- ▶ 30m hose reel with AA30 gunjet

- ▶ 450L - Net weight less boom 161 kg
- ▶ 600L - Net weight less boom 189 kg

Add a boom	Part No	More info	Price
4m manual fold	GA4900096	Page 19-20	\$1895
6m manual fold	GA4907140		\$2420
8m manual fold	GA4900105-MF-NS		\$2950

Features

Spot spraying



Simple controls



23L handwash tank



Foam marker (option)

- ▶ Double sided foam marker suit boom sizes up to 12m complete kit includes in cab switch box
- ▶ Includes 3PL mounting bracket

Kit to suit linkage

Double sided
\$1930
 GA1100061

800L

- ▶ Zeta 70 l/min pto
- ▶ 4 way manual controller
- ▶ 30m hose reel with AA30 gunjet
- ▶ 800L - Net weight less boom 210 kg



800L
\$6220
 GA4907160

1000L electric control

- ▶ Zeta 70 l/min pto
- ▶ 3 way electric controller with pressure reg
- ▶ 30m hose reel with AA30 gunjet
- ▶ 1000L - Net weight less boom 265 kg



1000L
\$9280
 GA4907175

▶ 3 way electric controller to suit 450, 600 & 800L linkage sprayers GA1100071 **\$3135**

Add a boom	Part No	Type	Net weight	Description	More info	Price
4m	GA4900096	Manual fold	7.5 kg	Mild steel and aluminium construction	Page19	\$1895
6m	GA4907140		37 kg	4 or 6m spray widths	Page 20	\$2420
8m	GA4900105-MF-NS		45 kg	6 or 8m spray widths		\$2950
10m crossfold	GA4908470		127 kg	2D breakaway end, mild steel construction		\$5270
10m crossover	GA4908480		230 kg	Twinlink self levelling suspension. Mild steel construction. Fully trussed design	Page 21	\$11,175
12m crossover	GA4908490	Hydraulic	240 kg			\$11,810
12m krono	GA4908030		215 kg	Multiple spray widths		\$13.960

Boomless Nozzles

Single / double sided spraying



#20 brass nozzle shown

The brass boomless nozzles can be used for double, left or right spray operation by simply adjusting the spray plate. Great for spraying directly behind the tow vehicle or fence lines.

Boomless mounting bar



Shown with nozzle kit

\$90

GA4908100

Ideal for mounting boomless nozzle kits, suit 650mm upright posts. Includes:
1 x 800mm aluminium mount bar and
2 x u-bolts M12 90 x 120mm

Fenceline hose kit



\$180

GA4900480

Fenceline kit for 1/2" hose inline connection. Standard with OC04 fenceline nozzle, manual on/off tap.



Choose from single brass, stainless steel, nylon or double sided BoomJet nozzles. Suits large capacity 12-volt or medium pressure diaphragm pumps.

3 section electric solenoid kit



- ▶ Plumbing assembly three 1/2" solenoid valves
- ▶ Switch box section control master on/off
- ▶ 5m electrical harness

\$1108
GA6500023

Solenoid kit

- ▶ Electric solenoid on/off control
- ▶ Cigarette switch with 2 core wiring loom
- ▶ Kit complete with 12-volt solenoid and 1/2" hose tails



\$265
GA5023760

Boomless nozzles	Spray pattern	Description	Nozzle part no	Pressure bar	Flow l/min	Spray width (m)*	l/ha @10 km/h	Kit part no	Mounting kit inc nozzle
		#2 - 1/4" F/ NPT Brass nozzle	GA8100658 \$125	2	3.2	6.7	13.5	GA4908330 \$211	
				3	3.85	7	15		
				4	4.5	7.6	16.5		
		#5 - 1/2" F/ NPT Brass nozzle	GA8100659 \$125	2	6.5	13	27	GA4908335 \$200	
				3	7.75	14	31		
				4	9	15	34		
		#10 - 1/2" F/ NPT Brass nozzle	GA8100660 \$125	2	14	15	51	GA4908340 \$200	
				3	16.5	15.5	59		
				4	19	16	67		
		#20 - 3/4" F/ NPT Brass nozzle	GA8100661 \$125	2	19	16	65	GA4908345 \$237	
				3	23	17	76		
				4	27	18	85		
		Left 1/4" BSP XP10 Orange	GA8100339 \$173	2	3.2	3.4	57	GA5021550 \$200	
				4	4.5	4.4	62		
		Right 1/4" BSP XP10 Orange	GA8100340 \$173	2	3.2	3.4	57	GA5024605 \$200	
				4	4.5	4.4	62		
		Double sided 2 x 1/4"XP10	GA8100339 GA8100340	2	6.4	6.8	57	GA4932800 \$317	
				4	9.1	8.8	62		
		TF-VS4 floodjet White	GA8100081 \$49	2	2.6	3.2	48	GA4907309 \$158	
				3	3.1	3.2	6		
		BoomJet 5880 3/4" 2 TOC20		1.5	24	14.3	105	GA8100383 \$619	
				2	28	15.2	114		
				2.5	31	15.8	122		
		BoomJet 5880 3/4" 2 TOC40		1.5	47	17.1	173	GA8100384 \$619	
				2	55	18.2	188		
				2.5	61	19.2	199		

*All spray widths calculated with nozzle mounted 900mm above target

Spray Booms 1.5 to 15m

Mini boom

\$322
GA4932075

- ▶ Three jet spray bar that is lightweight and ideal for use on a quad bike
- ▶ 1.5m coverage

Goldacres booms have forged a reputation in the spraying industry for strength and durability with practical features.



Towbar boom



2m boom
\$765
GA4908615

2m fenceline
\$975
GA4908645

- ▶ Suits Hayman Reese 50 x 50mm
- ▶ 4 x IDK120-02 nozzles
- ▶ Adjustable boom height
- ▶ 3m of 12mm hose and clamps
- ▶ Adjustable towbar length
- ▶ Fenceline model includes single sided height & angle adjustable with Hypro boom Xtender size 20 nozzle
- ▶ 2m - Net weight 6 kg
- ▶ 2m fenceline - Net weight 7.3 kg

Suits models	More info
Linkage 450-1000L	Page 14-15
Compact 300	Page 5
Compact 400	Page 6
Compact 600	Page 7

Vertical vine boom



\$1382
GA1100059

- ▶ Stainless 1/2" spray rods
- ▶ 1/2" hose connections
- ▶ Adjustable width and height to suit all vine spraying applications
- ▶ 10 adjustable fan 1.5 spray ceramic nozzles

Suits models	More info
Linkage 450-1000L	Page 14-15
Compact 300	Page 5
Compact 400	Page 6
Compact 600	Page 7

3m manual folding boom



3m
\$995
GA4900093

- ▶ Lightweight aluminium construction
- ▶ 6 x IDK120-02 nozzles
- ▶ Non-drip nozzle bodies mounted to stainless steel brackets behind the boom for added protection
- ▶ Supplied with u bolts and nuts for mounting to your vehicle
- ▶ Net weight 6 kg

Suits models	More info
Linkage 450-1000L	Page 14-15
Compact 300	Page 5
Compact 400	Page 6
Compact 600	Page 7

4m manual folding boom



4m boom
\$1895
GA4900096

Boom mount
\$265
GA4905835

- ▶ Mild steel and aluminium construction
- ▶ 8 x IDK120-02 nozzles
- ▶ Non-drip nozzle bodies mounted to stainless steel brackets behind the boom for added protection
- ▶ Supplied with u bolts and nuts for mounting to your vehicle or optional boom mount frame
- ▶ Net weight 7.5 kg

Suits models	More info
Linkage 450-1000L	Page 14-15
Compact 300	Page 5
Compact 400	Page 6
Compact 600	Page 7

All booms are fitted with 02 size nozzles.

6m manual folding boom



- ▶ 4 and 6m spray widths
- ▶ Mild steel construction
- ▶ 12 x IDK120-02 nozzles
- ▶ Non-drip nozzle bodies mounted to stainless steel brackets behind the boom for added protection
- ▶ U bolts and nuts supplied to mount onto your vehicle or boom mount frame
- ▶ Net weight 37 kg

Suits models	More info
Linkage 450-1000L	Page 14-15
Compact 300	Page 5
Compact 400	Page 6
Compact 600	Page 7

8m manual folding boom



- ▶ 6 and 8m spray widths
- ▶ Mild steel construction
- ▶ 16 x IDK120-02 nozzles
- ▶ Non-drip nozzle bodies mounted to stainless steel brackets behind the boom for added protection
- ▶ U bolts & nuts supplied to mount onto your vehicle or boom mount frame
- ▶ Net weight 45 kg

Suits models	More info
Linkage 450-1000L	Page 14-15
Compact 400	Page 6
Compact 600	Page 7

10m Crossfold manual folding boom



- ▶ 10m spray width
- ▶ Mild steel RHS construction
- ▶ Fully trussed configuration
- ▶ 2D breakaway end tip with rubber mounted stopper
- ▶ Greaseable hinges
- ▶ Non-drip nozzle bodies mounted to stainless steel brackets behind the boom for added protection
- ▶ Net weight 127 kg

Suits models	More info
Linkage 800 & 1000L	Page 15
Compact 2000	See website

10 & 12m Crossover Twinlink manual folding boom



- ▶ Twinlink self levelling suspension
- ▶ Mild steel RHS construction
- ▶ Non-drip nozzle bodies mounted to stainless steel brackets behind the boom for added protection
- ▶ Fully trussed configuration
- ▶ 2D breakaway end tip with rubber mounted stopper
- ▶ Greaseable hinges
- ▶ Net weight 10m 230 kg / 12m 240 kg

Suits models	More info
Linkage 800 & 1000L	Page 15
Compact 2000	See website

12m Krono hydraulic boom



The Krono 12m boom features full hydraulic sequential folding of the four wing sections. This allows the boom to be operated at multiple spray widths as well as providing outer wing tilting. The boom can be also operated as a single sided unit. Hydraulic lift optional.

- ▶ Net weight 215 kg
- ▶ Requires mounting kit GA1100066 (hydraulic hoses not included)

Suits models	More info
Linkage 800 & 1000L	Page 15
Linkage 1200L	See website
Linkage 2000L	See website

15m Krono hydraulic boom



The Krono 15m boom features full hydraulic sequential folding of the six wing sections. This allows the boom to be operated at multiple spray widths as well as providing a very compact folded structure. The boom can be also operated as a single sided unit. Includes hydraulic lift.

- ▶ Net weight 510 kg

Suits models	More info
Linkage 1200L	See website
Linkage 2000L	See website

Pumps

Shurflo 6.8



- ▶ Shurflo 8000
- ▶ 6.8 l/min
- ▶ 107 psi
- ▶ Santo diaphragms
- ▶ Viton valves

1/2" male in/out
\$413
GA5023400

3/8" female in/out
\$413
GA5023401

Shurflo 3.8



\$228

GA5055700

- ▶ Shurflo SLV10
- ▶ 3.8 l/min / 40 psi
- ▶ Santo diaphragms / Viton valves
- ▶ 3/8" barb in/outlet

3.5 l/min suit Squirt



\$152

GA5023730

- ▶ 3.5 l/min
- ▶ 70 psi
- ▶ Quick connect in/outlet

Shurflo 11.3



\$522

GA5023405

- ▶ Shurflo 2088
- ▶ 11.3 l/min / 45 psi
- ▶ Santo diaphragms / Viton valves
- ▶ 1/2" thread in/out

Shurflo 20



\$630

GA5071305

- ▶ Shurflo 5059
- ▶ 20 l/min / 90 psi
- ▶ Santo diaphragms / Viton valves
- ▶ 1/2" thread in/out

Zeta 85 & engine



\$3610

GA4933295

- ▶ 290 psi / 20 bar
- ▶ 85 l/min @ 550 RPM
- ▶ 6:1 gearbox
- ▶ Honda GX200 engine

Iota 20 pump, gearbox and engine



\$3040

GA4906752

- ▶ 290 psi / 20 bar
- ▶ 20 l/min @ 550 rpm
- ▶ 6:1 gearbox
- ▶ Honda GX120 engine

Delta 40 pump, gearbox and engine



\$3900

GA4933275

- ▶ 580 psi / 40 bar
- ▶ 48 l/min @ 550 RPM
- ▶ 6:1 gearbox
- ▶ Honda GX200 engine

12v spare parts kits

8000 SERIES SHURFLO

- ▶ Pressure switch, 100psi suit 6.8L - GA5071545 **\$105**
- ▶ Valve assembly kit, viton, suit 6.8L - GA5071550 **\$105**
- ▶ Diaphragm assembly kit, Santoprene, suit 6.8L - GA5071555 **\$152**
- ▶ Check valve kit, suit 6.8L - GA5071560 **\$49**

2088 SERIES SHURFLO

- ▶ Pressure switch, 45psi, suit 11.3L - GA5071565 **\$105**
- ▶ Housing upper, male threads, suit 11.3L - GA5071570 **\$60**
- ▶ Valve assembly kit, viton, suit 11.3L - GA5071575 **\$173**
- ▶ Diaphragm assembly kit, Santoprene, suit 11.3L - GA5071580 **\$133**
- ▶ Check valve kit, suit 11.3L - GA5071585 **\$79**

5059 SERIES SHURFLO

- ▶ Pressure switch, 60psi suit 20L - GA5071525 **\$87**
- ▶ Valve assembly kit, viton, suit 20L - GA5071530 **\$147**
- ▶ Diaphragm assembly kit, Santoprene suit 20L - GA5071535 **\$212**
- ▶ Check valve kit, suit 20L - GA5071540 **\$49**

12V SHURFLO REPAIR KITS

- ▶ Hose Tail 1/2 x 1/2" 90° - GA5005197 **\$4**

Iota 20



\$1326
GA5077765

- ▶ 290 psi / 20 bar
- ▶ 20 l/min @ 550 RPM
- ▶ Min 2 hp required
- ▶ 2 diaphragms

Delta 40



\$1994
GA1100042

- ▶ 580 psi / 50 bar
- ▶ 40 l/min @ 550 RPM
- ▶ Min 4.3 hp required
- ▶ 2 diaphragms

Zeta 70



\$1706
GA5078218

- ▶ 290 psi / 20 bar
- ▶ 70.5 l/min @ 550 RPM
- ▶ Min 3 hp required
- ▶ 3 diaphragms

Zeta 85



\$1924
GA5078220

- ▶ 290 psi / 20 bar
- ▶ 85 l/min @ 550 RPM
- ▶ Min 3 hp required
- ▶ 3 diaphragms

Zeta 100



\$2108
GA5078216

- ▶ 290 psi / 20 bar
- ▶ 98 l/min @ 550 RPM
- ▶ Min 3 hp required
- ▶ 3 diaphragms

Zeta 140



\$3124
GA5054540

- ▶ 290 psi / 20 bar
- ▶ 135 l/min @ 550 RPM
- ▶ Min 6.7 hp required
- ▶ 3 diaphragms

Zeta 170



\$4314
GA5054515

- ▶ 290 psi / 20 bar
- ▶ 170 l/min @ 550 RPM
- ▶ Min 8.8 hp required
- ▶ 4 diaphragms

Zeta 260



\$5787
GA5054505

- ▶ 290 psi / 20 bar
- ▶ 256 l/min @ 550 RPM
- ▶ Min 12.7 hp required
- ▶ 6 diaphragms

Hydraulic pump drive kits



Drive shown fitted to pto pump

- ▶ Suits 4400 / 4070 Raven controller & PTO drive pump

\$3287
GA4900729-DFO

- ▶ Suits SCS440 / 450 Raven controller and PTO drive pump

\$3287
GA4900728-DFO

Udor complete kits



Includes side diaphragms, air diaphragm where applicable, valves, o rings and oil seals. Full parts break down of pump and fitting instructions. **All kits with Greentech diaphragms**

Suits Pump	Part No:	Price
IOTA20	KIT-IOTA20-C	\$250
DELTA/KAPPA 40	GA5077781	\$424
ZETA 85	GA5077796	\$663
RO121/130	GA5077788	\$945
ZETA 140	GA5077788	\$945
RO160	GA5077790	\$1205
ZETA 170	GA5077790	\$1205
RO250	GA5077792	\$1554
ZETA 260	GA5077792	\$1554
ZETA 300	GA5077792	\$1554

Udor diaphragm kits



Diaphragm kits consist of side diaphragms and air diaphragm where applicable

Suits Pump	Part No:	Price
DELTA/KAPPA 40	GA5023870-SK	\$141
ZETA 85	GA5077797	\$163
RO121/130	GA5077789	\$369
ZETA 140	GA5077789	\$369
RO160	GA5077791	\$473
ZETA 170	GA5077791	\$473
RO250	GA5077793	\$641
ZETA 260	GA5077793	\$641
ZETA 300	GA5077793	\$641



Drive shown fitted to M1 pump

Chemical Handling



Goldacres' chemical handling equipment includes a range of transfer solutions to speed up reload times and get you back to work quickly.

SuperFlow mobile hopper



The SuperFlow Mobile Hopper is an alternative method of transferring chemical into the main spray tank.

- ▶ 60L hopper capacity
- ▶ Dry chemical friendly - Atrazine and Simazine
- ▶ Approx 50 l/min induction when using a 50 psi pump (suitable for most fire pumps 1½" or larger)
- ▶ Drum rinse nozzle
- ▶ Anti-aeration mixing jet
- ▶ Volume indicator
- ▶ Fully sealed lid
- ▶ Sturdy welded frame
- ▶ 8" (390mm OD) pneumatic tyres
- ▶ Heavy duty 1" axle and bearings
- ▶ 5m suction and 2m induction hose
- ▶ Camlocks for rapid fitting

Dimensions

779 L x 670 W x 1145mm H



Batchmate



800L
\$12,125
GA4914520



The ultimate in mixing and transferring chemicals is the 800L Batchmate. Standalone batching system allows chemicals to be premixed easily, safely and quickly ready for transfer into the sprayer.

- ▶ 800L tank capacity
- ▶ Open flow pump capacity 610 l/min
- ▶ High capacity venturi with chemical induction probe
- ▶ Twin tank lids for easy cleaning and loading
- ▶ Drumbuster for rapid loading of drums

- ▶ 3" camlock main fill and delivery points
- ▶ 23L hand wash tank with soap dispenser
- ▶ Net weight 250 kg

Dimensions

1520 L x 1670 W x 1200mm H

Flow meter



2" **\$1826** GA3000189
3" **\$2195** GA3000190

- ▶ 2" full port or 3" flange
- ▶ Magnetic flow meter
- ▶ No moving parts
- ▶ Polypropylene construction

Shurflo AgRunner

Portable, flexible and extremely versatile, the 12-volt 40 l/min AG Runner is ideal for the transfer of chemical into your sprayer.



\$3249
GA5071520

- ▶ 12v 40 l/min open flow
- ▶ 6m cable, alligator clips and inline fuse electronic flow metre
- ▶ 1" NPT x 3.5m EPDM discharge hose with ball valve/spout
- ▶ 1" NPT x 3.5m EPDM inlet hose

- with 1" elbow/ball valve/fitting assembly
- ▶ Pump only GA2000030 **\$1295**
- ▶ Flow meter GA2000031 **\$754**
- ▶ 2" female NPT to 1" female NPT GA2000032 **\$60**

Raven Viper 4+




Viper 4+ integrates with Raven's full line of products into one networked platform. Offering a 12.1" touchscreen and an intuitive, tablet-style interface with swiping features and horizontal or vertical orientation.

Factory fitted autosteer using Raven Viper 4+ field computer and GPS receiver from Raven, or supply your own John Deere or Trimble receiver.

Live infield weather monitoring and recording using Raven weather station.

Raven Slingshot is a cloud-based data transfer platform with the ability to work with many other desktop formats.



Features & benefits:

- ▶ Factory fitted and supported
- ▶ Raven total sprayer control system
- ▶ 3rd party receiver compatible, John Deere, Trimble
- ▶ Vehicle to vehicle communication
- ▶ Remote support
- ▶ User friendly
- ▶ 2 year warranty



Weedetect Bilberry

GOLDACRES
WEEDetect



3 metre camera spacing



Hawkeye PWM with TriJets



Green on Green, and Green on Brown

Boom mounted Green on Green or Green on Brown weed detection system using RGB cameras for visual recognition and Artificial Intelligence that learns the profile of weeds.

Weedetect – Bilberry is fully integrated into sprayer rate controller, using existing sprayer nozzles and plumbing and is available with 16 section or individual nozzle control with PWM, 250mm or 500mm nozzle spacing.

Features:

- ▶ Green on Green, and Green on Brown
- ▶ 16 section using standard rate control system or individual nozzle control with PWM (250 or 500mm)
- ▶ Fully integrated into sprayer rate controller. Utilises existing sprayer nozzles and plumbing
- ▶ Utilises a separate screen to control system. Modem for remote support
- ▶ Operating speed 25 km/h
- ▶ Self-propelled & Prairie Pro Series 2 only
- ▶ Up to 48m boom

Prairie Special Series 2



The Prairie Special range is available with a wide range of boom sizes, wheel options and tank sizes to suit your farming practice. Whether it be pasture, broadacre or rowcrop.

Control station



Optional RapidFire / RapidFlow



pasture broadacre & rowcrop specialist



3 way boom suspension



Prairie Special Series 2 - 4000-10,000L



The large frame Prairie Special is for operators looking for extra capacity, No 1 boom ride and bullet proof reliability. Built on the strongest trailing sprayer platform.

- ▶ 4000, 5000, 6500, 8500 and 10,000L tank capacities
- ▶ TriTech boom width ranging 24 to 36m
- ▶ 260 l/min PTO pump (260 l/min hydraulic drive optional)
- ▶ Large rinse tank
- ▶ ISOBus rate controller
- ▶ Wide range of tyre options
- ▶ Rigid or airbag suspension
- ▶ Optional 3TS / RapidFire / RapidFlow

Prairie Special - 2500 & 3000L



The small frame Prairie Special is a fully featured sprayer efficiently packaged in a layout to suit pasture, horticultural and dry-land cropping applications.

2500L model

- ▶ 12 to 24m Delta booms
- ▶ 140 l/min pto diaphragm pump
- ▶ 3 way electric control (Raven SCS450 optional)
- ▶ 100L rinse tank
- ▶ 14.9 x 24 tyres

3000L model

- ▶ 18 to 24m Delta booms
- ▶ 170 l/min pto diaphragm pump
- ▶ Raven SCS450 rate controller
- ▶ 180L rinse tank
- ▶ 16.9 x 34 tyres

Prairie Pro Series 2



The next generation of cutting edge technology in a trailing sprayer package, the all new Prairie Pro Series 2 trailing sprayer. Fast fill induction, G-hub integrated sprayer control and RivX or TriTech V booms - all the features to increase spraying productivity.

Fast Fill / External G-Hub





TriTech RivX Boom



Our strongest most stable platform now available on the Prairie Pro Series 2.

- ▶ RivX design incorporates outer wings construction using a mixture of steel and aluminium sections with high strength structural rivets – even greater stability and rigidity
- ▶ Tritech boom suspension controlling pitch, roll and yaw
- ▶ Multiple plumbing configurations and application technology available

Specifications

- ▶ 5000-10,000L tank sizes
- ▶ 24 to 48m TriTech booms
- ▶ Fast fill induction
- ▶ RapidFire / RapidFlow
- ▶ G-Hub integrated system
- ▶ RCM ISO Bus rate controller

60L Induction Hopper



Prairie Pro boom options

48m TriTech V Boom



Raven RCM 16 sections



Weed detection



Boom height control



For more information on boom options refer to: goldacres.com.au/boom-options


G4 Crop Cruiser

adapt
to your
farming



Lightweight for minimal soil disturbance, high clearance to cover large crops, 2 or 4 wheel drive with a track width to suit all situations. The G4 can do it all.

Optional mechanical 4WD



High outputs with low inputs



9.6^{*}
L/HR



Specifications

- ▶ 4000L product tank
- ▶ 24 to 36m TriTech boom
- ▶ 2 or 4 wheel mechanical drive system
- ▶ 165hp Cummins engine
- ▶ Allison 5 speed transmission
- ▶ Hydraulic or manual track width adjustment
- ▶ Light tare weight 9.4 tonne*

Superior comfort



Hydraulic adjustable track



An optional hydraulically adjustable axle providing a true 2000 to 3000mm wheel track.

Hydraulic track adjustment can be done on the move with a push of a button. Cylinders located inside the front and rear axles control the track width.

Power is transferred to the rear wheels via multistage extendable drive shafts coupled to the droplegs to get the power to the ground.

Tight headlands, no worries



Designed to turn in very small headlands with the simplicity of a two wheel steer configuration.

The key in achieving this is the layout of the suspension system and open chassis design.

	Axle type	Tyre size	Turning radius*
Hydraulic adjustable	2000-3000mm	380/80 R46	5000mm @2m^
Fixed wide	2WD 3000mm		4800mm @3m^
	4WD 3000mm		5800mm
Fixed narrow	2WD 2000mm		5800mm
Manual adjustable	3000-4000mm		5900mm
			4400mm @3m^
			4200mm @4m^

*Inside tyre measurement. ^Track setting

G6 Crop Cruiser

faster
smarter
stronger



FASTER, SMARTER, STRONGER. The Goldacres G6 Crop Cruiser Series 2 is designed for operators who demand the very best in sprayer performance, efficiency and comfort.

Mechanical drive



Work station pod - Fast Fill





Specifications

- ▶ 6000L product tank
- ▶ 36-48m TriTech RivX boom
- ▶ 2 or 4 wheel full mechanical drive system
- ▶ 225hp Cummins engine
- ▶ Allison 6 speed trans
- ▶ Lightest tare weight in class – 11.6 tonne*

G-Hub - integrated system



Mechanical advantage



11.8
L/Hr

There are numerous benefits with a mechanical drive sprayer. Less maintenance costs, less noise, significant fuel reduction, less heat generated, lower engine rpm, lower horsepower required, more torque at the wheels for a longer component life.

- ▶ Mechanical drive
- ▶ Light weight
- ▶ 2WD or 4WD
- ▶ Cummins 225hp engine
- ▶ 450L fuel tank
- ▶ 4 wheel disc brakes
- ▶ LSD provides superior traction
- ▶ 5 link suspension

Smooth operator - TriTech RivX boom



A boom which bounces, sways or yaws deposits chemical unevenly on the target. This can result in weed escapes and may even contribute to resistant weeds.

- ▶ TriTech boom suspension controlling pitch, roll and yaw
- ▶ Multiple plumbing configurations and application technology available
- ▶ RivX design incorporates outer wings construction using a mixture of steel & aluminium sections with high strength structural rivets - even greater stability & rigidity

G8 Super Cruiser

capacity
broadacre
king



A massive 8000L tank capacity with TriTech V booms up to 48m. A rigid chassis, suspension and mechanical driveline system delivers unparalleled driving and spraying dynamics.

Strength, stability & control



Claas cabin



68.5_{DB}



Specifications

- ▶ 8000L product tank
- ▶ 36 to 48m TriTech boom
- ▶ 260hp Cummins engine
- ▶ Allison 6 speed trans
- ▶ 3m wheel track
- ▶ Lightest tare weight in class - 12 tonne*
- ▶ Average fuel usage 13.9L per hour^

ISOBus 16 sections



Optional display shown.

Mechanical advantage




13.9[^]
L/HR

Full-time mechanical 4WD equates to up to a third of the fuel saving compared to some hydrostatic drive sprayers in the same situation. Turn the Goldacres mechanical advantage into your advantage.

- ▶ Less maintenance costs
- ▶ Less noise
- ▶ Significant fuel reduction
- ▶ Less heat generated
- ▶ Lower engine rpm
- ▶ Lower horsepower required
- ▶ More torque at the wheels
- ▶ Longer component life

Tech up your sprayer

RapidFire / RapidFlow



Raven Hawkeye



Weed detection



Boom height control



Goldacres sprayers have a range of boom options that will take your spraying efficiency to the next level.

Goldacres Dealer Network

VICTORIA			
Lyand Farm & Industrial	Alexandra	P	03 5772 1498
Ararat Farm Supplies	Ararat	R	03 5352 2624
Bacchus Marsh Farm Supplies	Bacchus Marsh	R	03 5367 5523
Brownwigg Bairnsdale	Bairnsdale	R	03 5152 1313
Henderson Mowers & Chainsaws	Ballarat	R	03 5331 1618
Brandt	Ballarat	D	03 5334 7555
Midland Irrigation	Ballarat	R	03 5336 3600
Peter Davis Rural	Benalla	R	03 5762 6522
Midland Irrigation	Bendigo	R	03 5442 5655
Grogan's Machinery	Bendigo	D	03 5448 3535
Nutrien Birchip	Birchip	R	03 5492 2378
Bridgewater Farmware	Bridgewater	R	03 5437 3004
WG & SF McPherson	Brim	R	03 5390 4210
Casterton Ag	Casterton	R	03 5581 1255
Delta Ag	Charlton	R	03 5491 1976
Brandt	Colac West	D	03 5231 6320
Damm's Auto & Diesel Repairs	Corryong	R	02 6076 1267
CLAAS Harvest Centre	Echuca	D	03 5480 1855
Nutrien	Euroa	R	03 5795 2535
Geelong Rural	Fyansford	D	03 5222 4733
Gisborne Power Products	Gisborne	R	03 5428 8844
Brandt	Hamilton	D	03 5551 2800
Brandt	Hastings	R	03 5979 2547
Heywood Ag Sales & Service	Heywood	P	03 5527 2266
Emmetts Horsham	Horsham	D	03 5381 1555
Wimmera Ag & Equipment	Kaniva	P	03 5392 2722
Brandt	Knoxfield	D	03 9763 8255
Macedon Ranges Ag Machinery	Kyneton	D	03 5422 1821
Gorst Rural Supplies	Lake Bolac	P	03 5350 2440
Brandt	Leongatha	D	03 5667 6600
Nutrien	Leongatha	R	03 5662 2291
Brandt	Lilydale	D	03 9735 0166
BrownWigg	Maffra	R	03 5141 1544
Brandt	Maffra	D	03 5147 1122
Mansfield Power Ag	Mansfield	D	03 5775 2711
BrownWigg	Meeniyan	R	03 5664 0265
Hewitt & Whitty	Melton	R	03 9743 5644
Haeusler's	Mildura	D	03 5055 0610
Murrabit Trading Ltd	Murrabit	R	03 5457 2235
Tafco Rural Supplies	Myrtleford	R	03 5752 1800
West Vic Spares	Nhill	P	03 5391 3267
Naturelinks Landscape Management	North Melbourne	R	03 9867 5447
Brownwigg	Officer	R	03 5942 1056
Brandt	Pakenham	R	03 5941 5966
Millers Agricultural Supplies	Pyramid Hill	D	03 5455 7306
GJ & JS Roll	Rainbow	P	03 5395 7227
Western Plains Motors	Rokewood	D	03 5346 1223

Emmetts	Rupanyup	D	03 5385 5118
Brownwigg	Sale	R	03 5144 4842
Seymour Ag Supplies	Seymour	R	03 5792 1855
Nutrien	Seymour	R	03 5792 1733
Nutrien	Shepparton	R	03 5833 0222
Goldacres Sprayer Centre	St Arnaud	G	03 5477 3999
Driscoll Ag	St Arnaud	D	03 5495 1166
Stawell Farm Supplies	Stawell	R	03 5358 4071
Brandt	Sunshine	D	03 9363 8100
Advanced Ag Technology	Swan Hill	D	0438 412 573
Brandt	Terang	D	03 5592 2388
Sota Tractors	Thomastown	R	03 9462 3488
Brownwigg	Traralgon East	R	03 5174 2955
Days MPE	Wallan	R	03 5783 3500
Poole & Jackson	Walpeup	P	03 5094 1347
North East Ag & Industrial	Wangaratta	R	03 5721 6002
Emmetts	Warracknabeal	D	03 5398 2038
Brownwigg	Warragul	R	03 5623 6911
Vin Rowe Farm Machinery	Warragul	D	03 5623 1362
Agrimac	Warnambool	P	03 5562 5555
Winchelsea Trading	Winchelsea	R	03 5267 2092
Nutrien	Wonthaggi	R	03 5672 2512
Brownwigg	Yarram	R	03 5182 5148
Dindi Ag	Yea	R	03 5797 2275

NEW SOUTH WALES			
Mark's Spray Barn	Albury	D	02 6025 8862
Watson Tractors d	Bathurst	D	02 6331 1978
Dawmac Industries	Berrigan	D	03 5885 2382
Nutrien	Bombala	R	02 6458 3422
Nutrien Daniel & Walker	Braidwood	D	02 4842 2405
Easy Pest Supplies	Caringbah	R	1300 667 664
Nutrien	Cooma	D	02 6452 6565
JGW Harvest & Tillage	Cowra	D	02 6341 1821
Nutrien	Crookwell	D	02 4832 1122
Hewitt's Ag & Plant Repairs	Crookwell	P	02 4832 1377
Dillon Rural	Cundletown	R	02 6553 8885
Nutrien	Delegate	R	02 6458 8004
Taskers Garage	Deniliquin	D	03 5881 2176
Ag Superstore	Dubbo	R	1300 326 453
Sprayer Barn	Dubbo	D	02 6882 0313
Dillon Rural	Gloucester	R	02 6553 8885
Nutrien	Goulburn	R	02 4824 1433
Guidolin Agrimac	Griffith	D	02 6964 3400
JJS Glass & Co Sprayers	Junee	D	02 6924 1633
WJ Matthews	Moree	D	02 6752 2044
Sprayerbarn	Morree	P	02 6752 4700
Nurtien	Moss Vale	D	02 4869 6300
Armour Group	Moss Vale	R	02 4862 9080

Double R	Mudgee	R	02 6372 3257
Dickins Ag	Mulwala	D	03 5743 2423
Sprayer Barn	Narrabri	D	02 6792 1242
WJ Matthews	Narrabri	D	02 6792 1988
Nyngan Rural Agencies	Nyngan	R	02 6832 1577
Harts Machinery	Orange	P	0497 291 644
Sprayer Barn	Parkes	D	02 6862 5256
Tractors North	South Murwillumbah	R	02 6672 3873
Semco Equipment Sales	St Mary	P	02 9833 6000
Riverina Co-Operative	Wagga Wagga	D	02 6937 9200
Prestige Mowers	Wagga Wagga	P	02 6971 0089
Walcha Veterinary Supplies	Walcha	D	02 6777 2588
Nutrien	Yass	D	02 6226 1777
Barwon Ag	Walget	P	02 6828 1197
Delta Ag	Young	P	02 6382 6622

SOUTH AUSTRALIA

Goldacres Sprayer Centre	Bordertown	G	08 8752 0895
Ceduna Machinery	Ceduna	D	08 8625 2999
WSB Distributors	Clare	D	08 8842 2177
SA Farm Machinery	Cummins	D	08 8676 2980
WSB Distributors	Jamestown	D	08 8664 0101
Nutrien	Lameroo	P	08 8576 3132
Emmetts	Kadina	D	08 8828 0200
WSB Distributors	Karoonda	D	08 8578 1030
Castec Rural Supplies	Kingston SE	D	08 8767 2499
WSB Distributors	Loxton	D	08 8584 6000
Sebastopol Machinery	Millicent	D	08 8733 4899
Nutrien	Millicent	P	08 8733 2733
Castec Rural Supplies	Mt Gambier	R	08 8723 3744
Emmetts	Murray Bridge	D	08 8548 9277
Castec Rural Supplies	Naracoorte	R	08 8762 0266
Emmetts	Oakbank	P	08 8388 4111
Emmetts	Parndana	P	08 8559 6066
Castec Rural Supplies	Penola	R	08 8737 3333
Emmetts	Pinnaroo	P	08 8577 8141
Hanton & Sharrad	Pinnaroo	P	08 8577 8019
Emmetts	Renmark	P	08 8586 3688
Ramsey Bros Riverton	Riverton	P	08 8847 2804
Emmetts	Roseworthy	P	08 8524 8131
WSB Distributors	Saddleshworth	D	08 8847 4412
ND & JA Giles Sprayer	Strathalbyn	D	08 8536 3455
Goldinna Trading	Wudinna	D	08 8680 2088

D - Dealer (All Products)
R - Reseller (Parts & Service / 2500 litres or less)
P - Parts / Service
G - Goldacres Sprayer Centre

QUEENSLAND

Agnorth Pty Ltd	Ayr	D	07 4783 3000
Coast to Country Tractors	Browns Plains	R	07 5548 6988
Nuleaf	Bungalow	R	07 4035 2670
Claas Harvest Centre	Dalby	D	07 4662 2278
Farm and Construction Products	Emerald	D	07 4987 5795
Ingham Irrigation & Plumbing Supplies	Ingham	R	07 4776 3163
The Water Shed	Innisfail	R	07 4061 6177
Sengs Sales and Service	Kingaroy	R	07 4163 6162
Central Highlands Equipment	Mackay	R	07 4952 6061
Nutrien	Mackay	R	07 4952 4377
Mossman Agricultural Services	Mossman	R	07 4098 2286
Farm & Garden Products	Nth Rockhampton	D	07 4926 1414
Lindenberg & Co Parts	Pittsworth	P	07 4693 1322
NQ Agricultural Services	Redlynch	D	07 4095 4455
Farm & Garden Products	Rockhampton	D	07 4926 1414
St George Machinery Centre	St George	R	07 4625 3633
Black Truck & Ag	Toowoomba	P	07 4631 4200
Simpson Sprayers	Toowoomba	R	07 4634 4000

WESTERN AUSTRALIA

McIntosh & Son	Albany	D	08 9847 4255
Agriparts & Repairs	Cloverdale	P	08 9362 6811
Wight & Emmett	Davenport	R	08 9721 2104
McIntosh & Son	Esperance	D	08 9071 1155
Ag West Machinery	Geraldton	D	08 9964 7443
Goldacres Sprayer Centre	Goomalling	G	08 9629 1277
McIntosh & Son	Katanning	D	08 9821 7000
E & M J Rosher	Kenwick	R	08 9459 4166
McIntosh & Son	Kulin	D	08 9880 2556
Ord Agricultural Equipment	Kununurra	D	08 9168 3228
Wheatbelt Equipment	Merredin	D	08 6014 6000
Sprayline Spraying Equipment	Midland	R	08 9250 6100
McIntosh & Son	Narrogin	D	08 9881 2222
Fred Hopkins	Welshpool	R	08 9351 9000

TASMANIA

Southern Machinery	Kingston	D	03 6229 1133
Sprayer Barn Tasmania	Labtrobe	D	03 6426 2449
Agri Machinery Sprayers	Ulverstone	D	03 6425 7199

NORTHERN TERRITORY

WSB Distributors	Humpty Doo	D	08 8988 9411
------------------	------------	---	--------------

NEW ZEALAND

David Ensor Machinery	Gore	D	278676290
Sprayequip	Hawera Taranak	R	07 544 5673

Merchandise



Black Trucker Cap



Green Trucker Cap



Pink Trucker Cap



Hoodies



XS - GA9500034
S - GA9500035
M - GA9500036
L - GA9500037
XL - GA9500038
2XL - GA9500039

Black
\$55

Black Bucket Hat



S/M - GA5072680
L/XL - GA5072685

Pink Bucket Hat



L/XL - GA9500032

Black Beanie



Winter Warmer
\$16
GA9500017

Stubbie Holder



Keep it chilled
\$6
GA4064870

Gloves



S - GA5078641
M - GA5078642
L - GA5078643

All Purpose
\$10

The policy of Goldacres is one of continuous development and improvement and as such Goldacres reserve the right to alter any specifications, designs and price of the range shown without notice and without incurring any obligation regarding such changes. The pictures and information in this publication are a general guide only. Should you purchase the items of equipment the publication does not form part of the contractual arrangements with Goldacres. The purchase of any item or equipment is subject to Goldacres terms and conditions of sale. Refer to www.goldacres.com.au. WARNING: When mounting equipment or tanks to a vehicle, refer to vehicle manufacturers instructions regarding safe loading or other specifications. Ensure towing vehicle specifications are adhered to. Do not fill tank to exceed vehicle manufacturer's specifications. 1 litre of water = 1 kilogram. Prices include GST and are RRP valid until 31/12/2023. All prices are ex factory. ^Free in store is for products within dimensions 1200 x 1200 x 1200mm. GA9500059